

- Vancouver City Boundary
- Urban Growth Area
- Roads
- Taxlots Water

S

E

- Priority Habitat Areas
- Priority Species Area
  - Adopted Riparian Buffers

Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species or specific habitat features like cliffs or oak habitat.


Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark of water bodies which include lakes, streams, or rivers.





Source: Clark County, WDNR

Page 1 of 7



- Vancouver City Boundary
- Urban Growth Area
- Roads
- Taxlots
- Water
- Priority Habitat Areas
- Priority Species Area
  - Adopted Riparian Buffers


Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species or specific habitat features like cliffs or oak habitat.

Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark of water bodies which include lakes, streams, or rivers.



Source: Clark County, WDNR

Page 2 of 7





Vancouver City Boundary

Urban Growth Area

Roads

Taxlots

Water


Priority Habitat Areas

Priority Species Area

Adopted Riparian Buffers

Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species or specific habitat features like cliffs or oak habitat.


Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark of water bodies which include lakes, streams, or rivers.





Source: Clark County, WDNR

Page 3 of 7





Vancouver City Boundary

🚦 💶 Urban Growth Area

Roads

Taxlots

Water


Priority Habitat Areas

Priority Species Area

Adopted Riparian Buffers

Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species or specific habitat features like cliffs or oak habitat.

Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark of water bodies which include lakes, streams, or rivers.






Source: Clark County, WDNR

Page 4 of 7

Saint Helens Ave





Vancouver City Boundary

Urban Growth Area

Roads

Taxlots

Water


Priority Habitat Areas

Priority Species Area

Adopted Riparian Buffers

Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species or specific habitat features like cliffs or oak habitat.


Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark of water bodies which include lakes, streams, or rivers.





Source: Clark County, WDNR

Page 5 of 7





Vancouver City Boundary

Urban Growth Area

- Roads

Taxlots

Water

Priority Habitat Areas

Priority Species Area

Adopted Riparian Buffers


Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species or specific habitat features like cliffs or oak habitat.

Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark of water bodies which include lakes, streams, or rivers.



Source: Clark County, WDNR

Page 6 of 7



- Vancouver City Boundary
- Urban Growth Area

Water


- Priority Habitat Areas
- Priority Species Area
  - Adopted Riparian Buffers


Priority Habitat and Species Areas are specific habitats identified by the Washington State Department of Fish and Wildlife with unique or significant value to a large number of species. These habitats may consist of unique plant species specific habitat features like cliffs.

Riparian Buffers are regulated areas within a horizontal distance from the ordinary high water mark or water bodies which include lakes, streams, or rivers



Source: Clark County, WDNR






	Vancouver City Boundary
224	Urban Growth Area
	Taxlots
	Roads
	Water
	Severe Erosion Hazards
Land	dslide Hazards
	Historical unstable slopes
	Potential unstable slopes
	Active unstable slopes

Severe Erosion Hazards: Areas with soils identified as having a severe erosion hazard by the 1972 USDA Soil Conservation Service Soil Survey of Clark County Washington.

Landslide Hazards : Areas mapped by the Washington State Department of Natural Resources (DNR) and the U.S. Geological Survey (USGS) with slopes greater than 15% and soil and geologic characteristics that are susceptible to landslides.



Source: Clark County, WDNR, NRCS Page 1 of 7




Vancouver City Boundary
🚦 📮 Urban Growth Area
Taxlots
Roads
Water
Severe Erosion Hazards
Landslide Hazards
Historical unstable slopes
Potential unstable slopes
Active unstable slopes

Severe Erosion Hazards: Areas with soils identified as having a severe erosion hazard by the 1972 USDA Soil Conservation Service Soil Survey of Clark County Washington.

Landslide Hazards : Areas mapped by the Washington State Department of Natural Resources (DNR) and the U.S. Geological Survey (USGS) with slopes greater than 15% and soil and geologic characteristics that are susceptible to landslides.



Source: Clark County, WDNR, NRCS




Vancouver City Boundary
Urban Growth Area
Taxlots
Roads
Water
Severe Erosion Hazards
Landslide Hazards
Historical unstable slopes
Potential unstable slopes
Active unstable slopes

Severe Erosion Hazards: Areas with soils identified as having a severe erosion hazard by the 1972 USDA Soil Conservation Service Soil Survey of Clark County Washington.

Landslide Hazards : Areas mapped by the Washington State Department of Natural Resources (DNR) and the U.S. Geological Survey (USGS) with slopes greater than 15% and soil and geologic characteristics that are susceptible to landslides.



Source: Clark County, WDNR, NRCS Page 3 of 7



Vancouver City Boundary
 Urban Growth Area
 Taxlots
 Roads
 Water
 Severe Erosion Hazards
 Landslide Hazards
 Historical unstable slopes
 Potential unstable slopes
 Active unstable slopes


Severe Erosion Hazards: Areas with soils identified as having a severe erosion hazard by the 1972 USDA Soil Conservation Service Soil Survey of Clark County Washington.

Landslide Hazards : Areas mapped by the Washington State Department of Natural Resources (DNR) and the U.S. Geological Survey (USGS) with slopes greater than 15% and soil and geologic characteristics that are susceptible to landslides.



Source: Clark County, WDNR, NRCS Pa

Page 4 of 7




Vancouver City Boundary
🗧 📲 Urban Growth Area
Taxlots
Roads
Water
<b>Z</b> Severe Erosion Hazards
Landslide Hazards
Historical unstable slopes
Potential unstable slopes
Active unstable slopes

Severe Erosion Hazards: Areas with soils identified as having a severe erosion hazard by the 1972 USDA Soil Conservation Service Soil Survey of Clark County Washington.

Landslide Hazards : Areas mapped by the Washington State Department of Natural Resources (DNR) and the U.S. Geological Survey (USGS) with slopes greater than 15% and soil and geologic characteristics that are susceptible to landslides.



Source: Clark County, WDNR, NRCS Page 5 of 7



Vancouver City Boundary
 Urban Growth Area
 Taxlots
 Roads
 Water
 Severe Erosion Hazards
 Landslide Hazards
 Historical unstable slopes
 Active unstable slopes


Severe Erosion Hazards: Areas with soils identified as having a severe erosion hazard by the 1972 USDA Soil Conservation Service Soil Survey of Clark County Washington.

Landslide Hazards : Areas mapped by the Washington State Department of Natural Resources (DNR) and the U.S. Geological Survey (USGS) with slopes greater than 15% and soil and geologic characteristics that are susceptible to landslides.



Source: Clark County, WDNR, NRCS

Page 6 of 7




Vancouver City Boundary
 Urban Growth Area
 Water
 Severe Erosion Hazards
 Landslide Hazards
 Historical unstable slopes
 Potential unstable slopes
 Active unstable slopes



Source: Clark County, WDNR

Page 7 of 7

Maxar




- Vancouver City Boundary
- Urban Growth Area
- Water
- Taxlots
- Roads
- Riparian Managment Zone

Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR, WDFW




Vancouver City Boundary
 Urban Growth Area
 Water
 Taxlots
 Roads
 Riparian Managment Zone

Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR, WDFW

Page 2 of 7




- Vancouver City Boundary
- Urban Growth Area
- Water
- Taxlots
- Riparian Managment Zone

Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR, WDFW




Vancouver City Boundary
 Urban Growth Area
 Water
 Taxlots
 Roads
 Riparian Managment Zone

Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR, WDFW




Vancouver City Boundary
 Urban Growth Area
 Water
 Taxlots
 Roads
 Riparian Managment Zone

Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR, WDFW

Page 5 of 7




- Vancouver City Boundary
- Urban Growth Area
- Water
- Taxlots
- Roads
- Riparian Managment Zone

Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR, WDFW






Riparian Management Zones are modeled representations calculated using statewide soil and tree species data. Tree and soil data are used to determine the potential height of a given tree if it lived for 200 years. The buffer width shown represents that modeled height as a horizontal distance from the centerline or stream edge of a water body.



Source: Clark County, WDNR WDFW

Page 7 of 7





Vancouver City Boundary

**I** Urban Growth Area

Taxlots

- Roads

#### Ground Shaking Amplification Site Class


B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water

Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.



Source: Clark County, NEHRP

Page 1 of 7





50th Ave

삙

Vancouver City Boundary Urban Growth Area

Taxlots

Roads

#### Ground Shaking Amplification Site Class


B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water

Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.



Source: Clark County, NEHRP

Page 2 of 7





Vancouver City Boundary Urban Growth Area

Taxlots

Roads

#### Ground Shaking Amplification Site Class


B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water

Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.



Source: Clark County, NEHRP

Page 3 of 7





Vancouver City Boundary Urban Growth Area

Taxlots

Roads

#### Ground Shaking Amplification Site Class


B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water


Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.



Source: Clark County, NEHRP

Page 4 of 7







Urban Growth Area

Taxlots

Roads


### Ground Shaking Amplification Site Class

B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water

Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.



Source: Clark County, NEHRP





Urban Growth Area

Taxlots

#### Roads


#### Ground Shaking Amplification Site Class

B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water

Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.



Source: Clark County, NEHRP




Vancouver City Boundary

### Ground Shaking Amplification Site Class

B: rock (volcanic rock)
B-C: rock (volcanic rock), very dense soil and soft rock (sandstone)
C: very dense soil and soft rock (sandstone)
C-D: very dense soil and soft rock (sandstone),stiff soil (mud)
D: stiff soil (mud)
D-E: stiff soil (mud), soft soil (artificial soil)
E: soft soil (artificial soil).
PEAT: requires specific evaluation
Water

Ground shaking amplification site class is determined by the National Earthquake Reduction Program of the Federal Emergency Management Agency. Ground Shaking amplification and earthquake damage risk is lowest with Site Class A soils and highest with Class F soils.








Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.



Source: Clark County, NWI

Page 1 of 7









Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.










Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.



Source: Clark County, NWI

Page 3 of 7








Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.



Source: Clark County, NWI

Page 4 of 7








Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.



Source: Clark County, NWI

Page 5 of 7








Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.



Source: Clark County, NWI

Page 6 of 7







Vancouver City Boundary Urban Growth Area Water Wetlands

Wetlands are designated by the National Wetland Inventory (NWI) and include swamps, marshes, bogs, and similar areas, but do not include artificial wetlands that are intentionally created such as irrigation/drainage ditches, canals, and detention facilities.



Source: Clark County, NWI

Page 7 of 7